


Table-Top Universal Testing Instruments










Lightweight and Compact

The compact size fits easily on table tops. An "open table" design provides open access from both sides of the table to ensure a large work space.

Convenient to Use

The height of the device has been lowered significantly. This makes it easier to exchange jigs and samples, and to perform a wide variety of operations.





Adjustable Control Panel

An adjustable manual controller allows the user to set the crosshead positioning and start or stop testing. The position and angle of the control panel can be adjusted to match the user's posture.

High-Precision Testing System

High-precision test force measurements are guaranteed with a load cell of up to 5 kN capacity.

The system uses a high-precision load cell that guarantees accuracy to within $\pm 0.5\%$ of the indicated value (high-precision type) over a wide range, from 1/500

Compliance

JIS B7721 Class 1 ISO 7500-1 Class 1 EN 10002-2 Grade 1 ASTM E4 to 1/1 of the rated capacity. This ensures highly reliable evaluation tests over a wide range of loads.

Note: Shimadzu recommends inspection at an installation site that meets the requirements specified in these standards.

A Range of Models to Meet a Variety of Needs


With 3 tester models and 12 types of load cells available, the most suitable system can be selected from 32 possible combinations. A high-speed model with a return speed of 3000 mm/min significantly shortens test cycle times. In addition, power consumption has been reduced by over 55% compared to previous models.



EZ-SX Short Model

This is ideal for testing foodstuffs, pharmaceuticals and their packaging, and electrical or electronic parts. With a wide range of testing speeds, it can accommodate all sorts of evaluation testing applications.


Max. Capacity	500 N	N
Max. Stroke	500 mm	N
Test Speed Range	0.001 to 1000 mm/min	Т
Max. Return Speed	1500 mm/min	Ν



EZ-LX Long-Stroke Model

With a 5 kN maximum capacity, this is perfect for the tensile testing and bend testing of plastics. The 920 mm stroke capacity also makes it perfect for testing rubber, film, and other materials with large elongation.

Max. Capacity	5 kN
Max. Stroke	920 mm
Test Speed Range	0.001 to 1000 mm/min
Max. Return Speed	1500 mm/min



EZ-LX HS Long-Stroke and High-Speed Model The long stroke improves productivity. The 3000 mm/min return speed significantly reduces the wait time between tests, even for tests with large

displacements.

Max. Capacity	2 kN
Max. Stroke	920 mm
Test Speed Range	0.001 to 2000 mm/min
Max. Return Speed	3000 mm/min

Suitable for Product Tests in Diverse Fields

Physical evaluation testing is now required in more fields than ever before. EZ Test offers an ample selection of specialized jigs and features to support a wide variety of customer requirements.



Evaluating Food Textures

Compression Test on Bread


25 mm thick bread was compression tested using a 36 mm diameter cylindrical jig. Stress was measured at 40% deformation at a test speed of 100 mm/min, in accordance with standard AACC test methods.

Surface Hardness Test on Apple

Piercing test jigs are used for piercing and penetration tests. They make it possible to evaluate the surface hardness (yield point) of skins, coatings etc. on samples such as vegetables, fruits, and jelly beans.

Piercing Test on Jam

Multi-piercing jigs make it possible to evaluate the hardness or cohesiveness of samples containing food pieces (a large number of small pieces with varving shape) or air bubbles dispersed throughout the sample, such as jam with pieces of fruit, ice cream with cookie pieces, or vegetables. The jig enables evaluation of average properties over multiple points, to minimize variation due to point of entry.



Shear Test on Potato Croquette

This jig is designed to simulate the shape of various types of teeth. It is used to test the compression, shear, crush, and other characteristics of food specimens. It enables comparative testing of crispiness, brittleness, chewiness, and other characteristics.



Shear Test on Butter

This wire cutter jig uses a 0.3 mm diameter stainless steel wire for shear testing of samples such as butter, margarine, cheese, and noodles. It makes it possible to evaluate the surface and internal firmness of samples.



⁽¹⁸⁾ Wire cutter 6 Lower compression plate ø118


Evaluation Tests of Nursing Care Foods

This jig set is used to test foods intended for people with difficulty swallowing, based on the notification issued by the Japanese Consumer Affairs Agency, or to test "universal design foods" advocated by the Japan Care Food Conference. It is designed to accurately measure even small test force profiles obtained from soft foods

15 Toothed pushrod B

6 Lower compression plate ø118

A 40 mm diameter container is filled to a depth of 15 mm with the sample, which is then compression tested with a 20 mm diameter plunger.






② Multi-piercing jig 6 Lower compression plate ø118mm


Hardness Test on Butter

Conical press jigs are used for compression or piercing testing for samples that exhibit thermal plasticity, such as butter, margarine, and bar soap. They are used to evaluate characteristics such as the hardness and spreadability of samples.



Tensile and Shear Tests on Noodles

This jig is used to tensile-test various types of noodles or pasta, such as udon (thick wheat noodles), soba (buckwheat noodles), or spaghetti. Two jig types can be selected, where one secures the noodles by pinching them between two surfaces and the other secures the noodles by wrapping them and using the tightening force of the noodle itself. It allows evaluation of characteristics such as the tensile strength and elongation of noodles.



Jig Platform

The upper plate portion can be replaced with various jig attachments such as a tray for catching extruded or spilled samples or a waterproof tray. Without any attachments, the platform can be used as a table.



Shear Test on Sausage

This jig enables shear tests that involve cutting with a blade. In addition to V-cuts for Werner Platzer tests, it allows the user to substitute blades with other edge profiles. It is used to evaluate the shearing of foods such as meats, sausages, cheese, vegetables, and snack bars.



Spreadability Test on Margarine

This jig set is used to evaluate how easy it is to spread

samples that are normally spread into a thin layer, such

as margarine or car wax. The jig set measures the test

force required to spread a sample between the upper

and lower jigs.

³⁶ Spreading jig

⑤ Jig platform ⑤ Upper jig

Shear test on Asparagus

The Volodkevich bite jig simulates a human incisor tooth biting through a sample. This jig is used to measure the softness or hardness of meat, the shear force required to bite through asparagus, celery or other fibrous fruits or vegetables, or for piercing testing.



Compression Shear Test on Cereal

The Kramer shear cell is a specialized jig that uses multiple blades to perform compression, shear, and extrusion tests. It enables repeatable testing of cereals, beans, sauces containing food pieces, and other samples.



Three-Point Bending Test on Cookies

This setup makes it possible to evaluate the breaking strength or brittleness of samples by performing a bending test. It is ideal for testing the three-point bending strength of samples such as biscuits or chocolate bars. Different types of upper punches or supports can be selected based on the sample.



⁽³⁾ Three-point bending test jig (R2.5mm)
 ⁽⁵⁾ Jig platform

Viscoelasticity Test on Gelatin

This apparatus makes it possible to perform gelatin tests (JIS K 6503) or other viscosity tests of gelatinous samples. A 85 mm tall glass container with a 60 mm internal diameter and a 0.5 inch (12.7 mm) compression plunger (cylindrical jig) are used.



Compression Shear Test on Beans

This specialized mini-Kramer shear cell allows testing of smaller sample quantities. Just as with the standard size jig, this is used to evaluate samples by shearing, compressing, and extruding the samples.



③ Mini Kramer shear cell / Ottawa cell ⑤ Jig platform

Break Strength Test on Potato Chips

This jig is used for penetration testing of items such as snack foods and potato chips. The test force required to break samples can be measured and used as an index for evaluating brittleness or crispiness.



Ig platform



Ottawa cells are specialized jigs that compress samples and measure the compression or extrusion force required to extrude the sample through a slit in the bottom. They are used to evaluate samples such as vegetables, fruits, beans, and cereals.



Extrusion Test on Liquid

This jig makes it possible to measure the test force required to extrude samples through a hole. The extrusion hole size can be changed based on the concentration and viscosity of the sample. It is used to evaluate liquids such as sauces, pastes, and gels.



Viscoelasticity Test on Liquid

This setup is used to evaluate the viscosity of viscous samples, such as yoghurt, cream, sauces, ground fruit or vegetables, or paint. Different compression plates are used based on the viscosity, food piece content or size of samples.




Evaluating Pharmaceuticals, Medical Devices, and Household Goods

Compression and Splitting Tests on Pills

By compression testing, pills, hard candies, and similar items can be evaluated in terms of hardness, powder molding, and surface coating characteristics. The type of compression plate and spherical press jig can be selected based on the tablet size.

Press-Dispense Test on Tablets

This setup used to evaluate the force necessary to press tablets or capsules out of press-through packaging (PTP). Various PTP shapes can be tried out by changing the adapter



Hardness Test on Lipstick

This jig is used to evaluate the hardness of lipstick. The lipstick is secured in a horizontal position and pressure is applied in a vertical direction for evaluation.





Tablet press-dispense jig set
 Jig platform
 Upper jig

Testing Adhesive Bandages

The physical properties of adhesive bandages are evaluated by testing the force required to peel open the bandage packaging, its adhesiveness, tensile strength etc.



🗇 500 N tensile jig

Injectability Test on Syringe Needle

An injectability test measures the test force required to pierce a vial cap, film, or other material with a syringe needle. The insertion of the needle into the syringe is repeatable because the length to be inserted is specified in regulations.



Extrusion Test on Syringe

This jig makes it possible to measure the test force required to extrude samples from a syringe. Syringes of up to 30 mm diameter can be accommodated by changing the adapter.



Evaluating Plastics and Rubbers

Tensile Test on Rubber Dumbbells

In this example, a rubber dumbbell was tensile-tested using pneumatic flat grips. These grips are able to use air pressure to grip specimens with a constant force, which makes it possible to securely grip rubber and other specimens that decrease in thickness as tension is applied. Using an DSES-1000 extensometer allows elongation to be accurately measured all the way up to the breaking point.

DSES-1000 is compliant with various rubber tensile testing standards.

JIS K6251:2010	JIS K6272:2003
ISO 37:201	ISO5893:2002
ASTMD412-06a	GB/T528-2009





1 kN screw-type flat grips
 Long travel extensometer for soft specimens DSES-1000

Tensile Test on Film

In this example, film was tensile-tested using grips intended for foil. These grips have a special grip face that reduces the breakage of film and copper foil samples at the chuck during testing. When used in combination with a TRViewX non-contact digital video extensometer, elongation and lateral displacement can be accurately measured, which means the modulus of elasticity can also be calculated.

Tensile Test on Plastic

In this example, a tensile test was performed on a plastic sample using 5 kN non-shift wedge-type grips. The grip faces move horizontally to tighten their grip on the sample without moving in the vertical direction. This makes it easy to set the distance between grips and minimize any vertical test forces acting on the specimen during the initial tightening. When a tensile test force is applied, it causes the wedges to hold the sample securely. Furthermore, the user can comply with ISO standards by using an SSG-H strain-guage-type one-touch extensometer.

Bending Test on Plastic

In this example, a 3-point bending test jig is used to test the bending of a plastic sample. This 3-point bending test jig for plastics was designed to meet JIS, ISO, and ASTM standards and allows testing for any thickness within the scope of the standards by changing the support set.

It also includes a jig for setting the distance between supports and checking whether the punch and supports are parallel, which makes it easy to adjust the test jig.





 5kN manual non-shift wedge-type grips Strain-gauge-type one-touch extensometer SSG-H series



1 Plastic three-point bending jig

Piercing Test on Fllm

This jig makes it possible to measure the piercing strength needed to puncture various film materials, such as those used in retort (boil-in-bag) pouches. Test samples are cut into circles about 20 mm in diameter for testing.



Peeling Test on Adhesive Tape

The sample table slides in sync with the upper grip movement to maintain a 90° peeling angle. The peeling test jig is compliant with JIS Z0237 and JIS Z1528.



· Adhesive tape peeling test device

Tensile Test on Fibers


This jig includes capstans to grip thread, cords, and other narrow fibrous samples so that an initial tension force can be applied and breakage can be prevented at the chuck. Samples are gripped pneumatically.



1 kN pneumatic capstan type grips for yarn
 Adapter for AGS series jig ø16

Tensile Test on O-ring

The O-ring is hooked onto rollers, which rotate during tensile testing. Tests conforming to JIS K6251, JIS K7312, ISO 37, and ASTM D412 standards can be performed.



Friction Modulus Measurement

This test device measures the friction between plastic films or between plastics and other materials. Both static and dynamic frictional forces can be measured seamlessly.



Compression Test on Springs

The compression strength of springs can be measured by compressing the spring between upper and lower compression plates. The lower compression plate is designed so that fine adjustments can be made to the parallelism of the plates.



Evaluating Electrical and Electronic Parts

45° Peel Test on Surface Mounted Devices

This test jig set is used to measure the peel strength of electronic parts, particularly the pins on IC chips.



Shear Test on Electronic Components


This test jig set is used to press vertically on components to measure their shear strength.



1) IC pin test jig

Cyclic Bending Test on Printed Circuit Board

This test jig is for cyclic bending tests of printed circuit boards. It allows observation of fluctuations in resistance in response to cyclic loads, as well as other properties. It enables repeatable tests of the thermal expansion and contraction of solder.




Supported by a Refined Operation System



By registering frequently-used parameters in a Quick Parameter List, tests can be started with a single step.





1 Test Method & Status Panel

Confirm testing conditions and the test status from the main window.

2 Advanced Navigation System with a Learning Function

The Navigation Bar shows only the functions required for selected situations. In addition, the "Learning Function" records user actions for each situation and adds frequently-used functions as navigation buttons. This improves work efficiency by matching functions to a user's operational style.

3 Multiple Graph Function

Up to four graphs can be displayed at once. The settings for both axes can be edited. A maximum of 50 graphs can be overlaid, and the user can select points with the mouse. This allows the user to examine each test in more detail.

(4) Real-time Data Display Panel

Displays the test force, stroke (strain), extensioneter or strain gauge value and other input values, all in one window. Optional calculated values can be displayed at the same time, so that data can be checked more smoothly.

5 Quick Panel

The speed, dimensions and report information can be entered directly from the testing screen.

6 Results Panel

This panel allows the user to change a variety of settings for repeat tests and batch testing. For example, samples can be inserted in any order, or added only to a specific batch.

⑦ Checkboxes to Select Curves


The user can select which data appears in each graph window, making it easy to compare SS-curves or graphs with a user-specified axis.

(8) Various Data Processing Functions

Many data processing functions are available e.g. for calculating modulus of elasticity. Settings can be applied by simply pressing the buttons above the figure.

Single

This software is specialized for standard testing of plastics, rubber, fibers, textiles, film, paper, electronic components, and other items that are tested with one-dimensional movement.



Tensile tests, compression tests, 3- and 4-point bending tests, peel tests, and more




TRAPEZIUM LITE X is software based on the Single module of TRAPEZIUM X software. Linking the testing machine to a computer significantly improves the efficiency of routine testing. It is particularly useful for quality control testing, which involves performing tests frequently using a given set of test parameters.

* The Texture, Cycle and Control software modules cannot be added to Trapezium Lite X.

Texture

This software is ideal for checking food textures, or evaluating the quality or physical properties of pharmaceuticals, cosmetics etc. It allows the user to define control patterns in order to create data processing rules specialized for foods, for example for finding hardness, brittleness, and energy.




Cycle

This software enables endurance tests and other tests that involve repetitive vertical movement. It is especially well suited to testing individual parts of electronic devices or testing the endurance of printed circuit boards and connectors.



Compression tests (piercing, penetration, and break analysis tests), tensile tests, texture tests (two-bite method), indentation tests, gel strength tests, shear/cutting tests, adhesiveness tests, hardness tests, and more



Control

This software allows the user to freely specify the order of a testing machine's movements. It makes it possible to configure complicated combinations of tensile, compression, and holding steps.



EZ Test Specifications

			EZ Test			
		EZ-SX	EZ-LX	EZ-LX HS		
		Max. 500 N	Max. 5 kN	Max. 2 kN		
		The load cell type can be selected from 9 types: The load cell type can be selected from 12 types: 1 N, 2 I 1 N, 2 N, 5 N, 10 N, 20 N, 50 N, 100 N, 200 N, or 500 N. 20 N, 50 N, 100 N, 200 N, 50 N, 1 kN, 2 kN or 5 kN. (Up to				
Load N	Method	High-precision constant-spe	eed strain measurement using backlash-f	ree ball screw drive		
		±0.5% of indicated	value (within 1/500 to 1/1 of load cell ra	ted capacity)		
	High-Precision Type (note 2)	Conforms to JIS B 7721 class 0	.5, ISO 7500-1 class 0.5, EN 10002-2 gr	ade 0.5, and ASTM E4.		
	Standard-Precision Type (note 2)	±1% of indicated v	alue (within 1/500 to 1/1 of load cell rate	ed capacity)		
	Stanuaru-Frecision Type	Conforms to JIS B 7721 clas	s 1, ISO 7500-1 class 1, EN 10002-2 gra	de 1, and ASTM E4.		
	Range		1 range (rangeless)			
	Test Force Calibration	Auton	natic calibration using calibration cable			
	peed Range	0.001 to 1000 mm/min		0.001 to 2000 mm/min		
Maximum R	eturn Speed	1500 mm/min		3000 mm/min		
	d Accuracy ^(Note 3)		Within ±0.1% of test speed			
Crosshead Speed and	Allowable Test Force	Up to t	he capacity of the load cell at all speeds			
Distance Between Crosshea	id and Jig Mounting Surface	500 mm	920 mm			
Maximum Grip Space			700 mm (5 kN load cell	+ 5 kN screw type flat grips)		
		395 mm (500 N max. load cell + tensile jig)	755 mm (1 kN load cell + 1 kN screw type flat grips)			
			860 mm (500 N m	nax. load cell + tensile jig)		
Depth of	Test Space	100 mm (table section)				
	Measurement & Display	Optical encoder me	asurement, digital display (display resolu	tion: 1 μm)		
Detection	Accuracy	±0.1% of indi	cated value or ± 0.01 mm, whichever is g	reater		
Crosshea	d Control	Single test control (single-direction tension o	r compression test), cycle test control (re	petitive tension or compression test)		
Samplin	ig Speed	1 ms max. (TRAPEZI	UM X/TRAPEZIUM LITE X is needed for th	nis function)		
		Constant test force (creep) control (note 4)				
		Auto-stop and auto-return functions when specimen fracture is detected (crosshead auto home-position return)				
		Test condition fil	e function, adjustable crosshead speed f	unction		
		Display function: A	ctual test force display or stress display (s	et by user)		
		Crosshead dis	placement display in mm or %/GL (set by	/ user)		
			Peak point test force and stroke			
		Test force and displacement analog	output: 0 V to 5 V DC full scale, respect	ively (for external recorder)		
		USB interface				
		Manual crosshead position fine adjustment				
			Adjustable controller			
			Touch load alarm			
	and Weight	W400 × D530 × H885 mm, approx. 33 kg		11315 mm, approx. 55 kg		
Input Power Sup	ply Voltage (Note 5)	• • • •	o 150 V AC, 50/60 Hz, or 200V to 230V			
Power	Capacity	700 VA		850 VA		
		Temperature: 5°C to 40°C, Humidity: 20% to 80% (no condensation)				
	conditions	Power voltage fluctuation: v	within ±10%, Vibration: 10 Hz max., Am	nplitude: 5 μm max.		

Note 1: When the load cell capacity is smaller than the tester load capacity, the former is the maximum test force. Note 2: Shimadzu recommends inspection at an installation site that meets the requirements specified in these standards. Note 3: Crosshead speed accuracy is calculated from the crosshead displacement within a prescribed time at a constant speed between 0.5 mm/min and 500 mm/min. Note 4: The test force is kept constant at 70% or less of the tester load capacity, for up to 12 hours. Note 5: Ground resistance should be 100 Ω or less.

Options

Tester Options



Jog Controller 346-55922-01 The jog dial is provided to allow finger-tip operation of the crosshead position.



Control I/O Expansion Box 346-55920-01

Increases the number of control I/O ports to four. Multiple optional accessories can be simultaneously connected to the control I/O ports.



Sensor I/O Expansion Box 346-55920-02

Increases the number of tester sensor I/O ports to two. Multiple optional accessories can be simultaneously connected to the sensor I/O ports. BNC cables can be connected to the analog I/O ports.

A variety of other options are also available. For details, refer to the separate catalog "Optional Accessories for Autograph".

Additional Load Cell Kits

Select a load cell kit if load cells are to be added to the tester unit kit. The additional load cell kit comprises a cell set (load cell and calibration cable), cell bolt (if required), and upper joint jig (if required).

LOAD CELL SET (Load cell, calibration cable and calibration)

								EZ-LX					
CLASS EZ-TEST	-	- EZ-LX HS											
CLASS			-						EZ-SX				
	P/N	5 kN	2 kN	1 kN	500 N	200 N	100 N	50 N	20 N	10 N	5 N	2 N	1 N
1	346-55939-XX	10	14	9	13	12	07	06	05	04	03	02	01
0.5	346-55942-XX	10	14	9	13	12	07	06	05	04	03	02	01

Thermostatic Chamber

Allows testing within an ambient temperature range of -70°C to 250°C. Thermostatic chambers are available only for EZ-L type testers.

The chambers are special-order items. For details, please make a separate inquiry.

Other Options

Description	P/N	Remarks
Worktable	340-48580-02	Worktable for EZ Test
Anti-topple attachment for EZ-SX/EZ-LX	346-55037-12	Secures the tester unit to the worktable.
	346-55037-11	Secures the tester unit to the worktable, or the worktable to the floor.



Safety Cover EZ-SX: 346-57107-01 EZ-LX: 346-57107-02 This is used to prevent injury when sample fragments are scattered due to fracture.


Analog Recorder X-T type: 346-59210-01 Plots test force - time curves.

X-YT type: 346-51736-01 Plots test force – time curves and test force – stroke curves.



Power Cable For EU (VDE standard) 348-34063-03 For China (GB standard) 348-34063-02 For Japan and North America (UL, CSA, PSE standards) 348-34063-01 is provided as standard.

Installation Space




Note: A similar installation space is required for both EZ-SX and EZ-LX.

Jig Part Number List

*1 :
^(m)An upper adapter jig is necessary *2 :
^(m)A lower adapter jig is necessary *3 :
^(m)A jig platform is necessary

Probes

① Indentation elasticity test jig / Cylindrical press jig





Indentation el	asticity test jig set	346-52284-01
	Indentation elasticity test jig dia. 3 mm	346-51687-01
Item list	Indentation elasticity test jig dia. 5 mm	346-51687-02
	Lower compression plate dia. 118 mm	346-51687-12

List of Part Numbers by Size, Material and Capacity

Diameter (mm)	Material	Capacity	P/N
ø1	SS	5 N	346-38590-02
ø2	SS	20 N	348-38504-02
2	SS	50 N	348-38504-03
ø3	Steel+Plating	50 N	346-51687-01
ø4	SS	200 N	348-38504-04
ø5	SS	500 N	348-38505
	Steel+Plating	500 N	346-51687-02
ø6	SS	500 N	348-38506-01
ø7	SS	500 N	348-38506-02
ø8	SS	500 N	348-38506-03
ø9	SS	500 N	348-38506-04
	SS	500 N	348-38506-05
ø10	acrylic	100 N	346-57801-04
	SS	100 N	346-57801-03
ø11.3 (cross section: 1 cm ²)	acrylic	100 N	346-57801-07
	AL	100 N	346-57801-08
ø15	acrylic	100 N	346-57801-09
	AL	100 N	346-57801-01
		100 N	346-57801-05
ø20	acrylic AL		346-57802-09
		500 N	
	acrylic	500 N	346-57802-18
ø25	AL	500 N	346-57802-01
	acrylic	200 N	346-57802-11
ø30	AL	500 N	346-57802-20
	acrylic	200 N	346-57802-21
ø35	AL	500 N	346-57802-02
	acrylic	200 N	346-57802-12
ø36	AL	500 N	346-57802-03
			(AOAC, bread compression test)
ø40	AL	500 N	346-57802-04
	acrylic	200 N	346-57802-13
ø45	AL	500 N	346-57802-05
213	acrylic	200 N	346-57802-14
ø50	AL	500 N	346-57802-06
255	acrylic	200 N	346-57802-15
ø6.4 (ø1/4")	SS	500 N	348-38506-06
	AL	100 N	346-57801-02
ø12.7 (ø1/2")	acrylic	100 N	346-57801-06 (JIS/ISO, gelatin test)
25.4 (4//)	AL	500 N	346-57802-07
ø25.4 (ø1")	acrylic	200 N	346-57802-16
	AL	500 N	346-57802-10
ø38.1 (ø3/2")	acrylic	200 N	346-57802-19
	AL	500 N	346-57802-08
ø50.8 mm (ø2")	acrylic	200 N	346-57802-17
	SS	500 N	346-57803-01
ø1/2" (round tipped)	acrylic	500 N	346-57803-11
	SS	100 N	346-57803-02
ø1" (round tipped)			
(acrylic	100 N	346-57803-12


② Multi-piercing jig

Capacity : 500 N Each Prove : ø3 mm, Angle 15° (9 Proves)

346-57804 Multi-piercing jig



③ Piercing needle jig / Indentation test jig



Piercing needle jig / indentation test jig

Indentation ela	sticity test jig set	346-52283-01
	Indentation elasticity test jig dia. 3 mm	346-51813-01
Item list	Indentation elasticity test jig dia. 5 mm	346-51813-02
	Lower compression plate dia. 118 mm	346-51687-12

List of Part Numbers by Size, Material and Capacity

Diameter (mm)	Material	Capacity	P/N
ø1 (60° taper)	SS	5 N	346-57829-01 *1
ø2 (60° taper)	SS	20 N	348-38503-02 *1
ø3 (60° taper)	SS	50 N	348-38503-03 *1
05 (00 taper)	SS	50 N	348-38502-01
-4 (600 +)	SS	200 N	348-38503-04 *1
ø4 (60° taper)	SS	200 N	348-38502-02
ø5 (60° taper)	SS	500 N	348-38503-05 *1
(b) (b) taper)	SS	500 N	348-38502-03

④ Spherical press jig / Viscosity test jig



List of Part Numbers by Size and Material

Diameter (mm)	Material	Capacity	P/N
ø3	SS	100 N	348-38511-01
ø4	SS	100 N	348-38511-02
ø5	SS	100 N	348-38511-03
ø6	SS	100 N	348-38511-04
ø7	SS	500 N	348-38511-05
ø8	SS	500 N	348-38511-06
ø9	SS	500 N	348-38511-07
ø10	SS	500 N	348-38511-08
ø15	SS	500 N	348-38512-01
ø20	SS	500 N	348-38512-02
ø25	SS	500 N	348-38512-03
ø3.2 (ø1/8")	SS	20 N	348-38511-09
ø6.4 (ø1/4")	SS	100 N	348-38511-10
ø12.7 (ø1/2")	SS	500 N	348-38511-11
~10.1 (~2/4")	SS	500 N	348-38512-04
ø19.1 (ø3/4")	acrylic	500 N	348-38555-01
ø25.4 (ø1")	SS	500 N	348-38512-05
ØZ 3.4 (ØT)	acrylic	500 N	348-38555-02

⑤ Conical press jigs


Jig Diameter: ø30 mm

List of Part Numbers by Size and Material

Angle	Material	Capacity	P/N
90°	acrylic	100 N	346-57806-01 *1
60°	acrylic	100 N	346-57806-02 *1
45°	acrylic	100 N	346-57806-03 *1
	SS	100 N	346-57806-04 *1
40°	acrylic	100 N	346-57806-05 *1
	SS	100 N	346-57806-06 *1
30°	acrylic	100 N	346-57806-07 *1
50*	SS	100 N	346-57806-08 *1

Compression Jigs

6 Compression plate



Compression jig set			346-52282-01
		ø8	346-51687-03
		ø10	346-51687-04
	Upper compression plate	ø15	346-51687-06
Item list		ø20	346-51687-08
		ø30	346-51687-10
		ø118	346-51687-11
	Lower compression plate	ø118	346-51687-12

List of Part Numbers by Size, Material and Capacity

Diameter (mm)		Capacity	P/N
ø8	Steel+Plating	500 N	346-51687-03
ø10	Steel+Plating	500 N	346-51687-04
ø11.3 (cross section: 1 cm ²)	Steel+Plating	500 N	346-51687-05
ø13	SS	500 N	348-38554
ø15	Steel+Plating	500 N	346-51687-06
ø16	Steel+Plating	500 N	346-51687-07
ø20	Steel+Plating	500 N	346-51687-08
ø25	Steel+Plating	500 N	346-51687-09
ø30	Steel+Plating	500 N	346-51687-10
ø50	AL	500 N	346-57815-01
ø75	AL	500 N	346-57815-02
ø100	AL	500 N	348-38556
ø118	Steel+Plating	500 N	346-51687-11
ø200 (for 1 kN to 5 kN load cells)	AL	500 N	346-57816-01
ø118	Steel+Plating	500 N	346-51687-12
ø118 (markings at every 20 mm)	Steel+Plating	500 N	346-51687-32
ø200	AL	500 N	346-57816-02
ø200 (markings at every 30 mm)	AL	500 N	346-57816-12
	ø8 ø10 ø11.3 (cross section: 1 cm²) ø13 ø15 ø16 ø20 ø22 ø30 ø55 ø100 ø118 ø200 (for 1 kN to 5 kN load cells) ø118 ø118 (markings at every 20 mm) ø200	ø8 Steel+Plating ø10 Steel+Plating ø11.3 (cross section: 1 cm²) Steel+Plating ø13 S5 ø15 Steel+Plating ø16 Steel+Plating ø20 Steel+Plating ø20 Steel+Plating ø20 Steel+Plating ø30 Steel+Plating ø55 AL ø75 AL ø100 AL ø118 Steel+Plating ø200 (for 1 kN to 5 kN load cells) AL ø118 Steel+Plating ø200 (ar 1 kN to 5 kN load cells) AL ø118 Steel+Plating ø200 (ar 1 kN to 5 kN load cells) AL	ø8 Steel+Plating 500 N ø10 Steel+Plating 500 N ø11.3 (cross section: 1 cm²) Steel+Plating 500 N ø13 SS 500 N ø15 Steel+Plating 500 N ø15 Steel+Plating 500 N ø16 Steel+Plating 500 N ø20 Steel+Plating 500 N ø20 Steel+Plating 500 N ø25 Steel+Plating 500 N ø30 Steel+Plating 500 N ø50 AL 500 N ø75 AL 500 N ø100 AL 500 N ø118 Steel+Plating 500 N ø200 (for 1 kN to 5 kN load cells) AL 500 N ø118 Steel+Plating 500 N ø118 (markings at every 20 mm) Steel+Plating 500 N ø200 AL 500 N

Tensile and Peeling Test Jigs

⑦ 500 N tensile jig

Capacity	: 500 N			
Applicable specimen thickness	: 5 mm			
Grip face width	: 25 mm			
500 N tensile jig set (one each for upper and lower grips)				

500 N tensile jig set (one each for upper and lower grips)	346-57262-03
500 N upper grip	346-57262-01
500 N lower grip	346-57262-02

⑧ Noodle tensile jig

Capacity : 500 N Applicable specimen size : W 12.7 mm (1/ 2 in) × T 1.5 to 2 mm

Peeling test jig	set	346-52289-01
Breakdown	Rotary drum jig, 1 pc	343-07949-02
	500 N upper grip	346-57262-01

9 Peeling test jig

Capacity: 500 N

346-52265-01 *2 Peeling test (cell) jig





Application Jigs

10 Plastic three-point bending jig

Capacity : 5 kN Applicable standards : ISO178, JIS K7171, ASTM D790

Plastic three-point bending jig (for 1 to 500 N load cells)	346-57265-01
Plastic three-point bending jig	346-57265-02

(1) IC Pin test jig

IC pin test jig set



Peeling test jig set

PCB peeling test jig set 346-52292-02



(3) Spring test jigs

Capacity : Hook 1 for tensile test: 140 N (ø20, D5) : Hook 2 for tensile test: 20 N (ø8, D2)

: Compression plate: 500 N (ØTT8)	Ō		9
Spring tensile jig		346-52	2174-02
Upper compression plate dia. 118 mm		346-51	687-11
Lower compression plate for spring		346-52	2189

346-52292-01



346-53933-73

(#) Friction modulus measurement jig Capacity Applicable standar - EOO NI

Friction modulus measurement jig (ASTM)

Applicable standards	: (ISO) ISO8295, JIS K7125 (ASTM) ASTM D1894, JIS K7312	
Friction modulus me	easurement jig (ISO)	346-53933-74



Jig Part Number List

*1 : ③An upper adapter jig is necessary *2 : ⑤A lower adapter jig is necessary *3 : ⑤A jig platform is necessary

Application	Jigs				
(5) Toothed pu Capacity : 500 N Punch width : 30 mr		Angle 60° bothed pushrod B Toothed p	Angle 60°	Capacity	evich bite jig : 500 N er teeth width : 10 mm vite jig set
Toothed pushrod			346-52285-01	22 Blade sl	near iig
Item list	Toothed pushrod B Toothed pushrod C Lower compression	plate dia. 118 mm	346-51814-02 346-51815-02 346-51687-12	Capacity Blade size Blade guide wide	: 500 N : W70 mm T3 mm
	A (flat end face) 3 (60° cut end face) 3 (60° cut end face)		346-52258-02 346-51814-02 346-51815-02	Blade shear jig (60° cut end fa	set ace, 3 mm thick, with b
G Cutting for Capacity Punch width Punch angle Base width Base V-groove angle Cutting force test Cutting force test @ Wedge-typ Capacity : 500	: 500 N : 30 mm : 60° : 30 mm : 60° jig	346-51817-01 346-51817-02 *1 *2	Angle 60° Cutting force test jp-01	A : Flat end f B : Round er C : 60° cut e D : 45° cut e E : 30° cut e F : 90° V-cut G : 60° V-cut H : 45° V-cut	le Part Numbers ace, 3 mm thick di face (R1.5), 3 mm thi nd face, 3 mm thick nd face, 3 mm thick nd face, 3 mm thick nd face, 3 mm thick flat end face flat end face flat end face
Wedge width : 40 m Wedge-type bite jig Wedge-type bite jig		346-57812 *3 346-57812-01 *3 346-57812-02 *3		(3) Three-po Capacity: 500 N	pint bending tes
® Wire cutte	r		ß		
Effective test width	: ø0.32 mm (SS Wire)	346-57817	80 mm	Punch Radius × W R0.1 mm × R0.1 mm × R1 mm × 80 R2.5 mm ×	80 mm R0.1 mm 15 mm R0.1 mm 0 mm R1 mm ×
Cutting str	ess test jig		ĥ		
	ctive test width: 26 mm e size: W15 mm × L60 r	nm Groove depth: 4 mm		Capacity	: 500 N : 500 N en supports : 40 to 60 n : R0. 2 mm : 26 mm
20 Razor blad	e cutting jig	1			g test jig (JIS S6005) ype g test jig
Effective test width	: 500 N : 32 mm : 30 mm			Donalization	in cot
		346-51816-01		Bending test j	IG set Toothed pushrod B,


city : 500 N er and lower teeth width : 10 mm

odkevich bite jig set 346-57805 *1 *3

Ø A Д

2 Blade sh	iear jig		
Capacity Blade size Blade guide wid	: 500 N : W70 mm T3 mm lth : 66 mm		Blade Blade Guide
Blade shear jig (60° cut end fa	set ace, 3 mm thick, with blade)	346-57807 *3	

	A : Flat end face, 3 mm thick	348-38521
	B : Round end face (R1.5), 3 mm thick	348-38523
	C : 60° cut end face, 3 mm thick	346-58522-03
	D : 45° cut end face, 3 mm thick	348-38522-01
	E : 30° cut end face, 3 mm thick	348-38522-02
	F : 90° V-cut flat end face	348-38524-01
no	G : 60° V-cut flat end face	348-38524-03
0.	H : 45° V-cut flat end face	348-38524-02



Three-point bending test jig



Punch Radius × Width	Support Radius × Width	Distance between support	P/N
R0.1 mm × 80 mm	R0.1 mm × 80 mm	1 mm to 99 mm	346-57820-01 *3
R0.1 mm × 15 mm	R0.1 mm × 80 mm	1 mm to 99 mm	346-57820-02 *3
R1 mm × 80 mm	R1 mm × 80 mm	2 mm to 99 mm	346-57820-03 *3
R2.5 mm × 80 mm	R2.5 mm × 80 mm	5 mm to 95 mm	346-57820-04 *3

ower bending test ji

Toothed pushrod B, 1 pc

Lower bending test jig



Flat support type

346-52290-01


346-51814-08

346-51818-01

346-51818-01


346-51818-02 *2

V-cut support type



t jig	
N	
o 60 mm	4
2	





30 Gum break shearing test table

Capacity: 500 N

Gum break shearing test table 346-52274-01 *2



34 Kramer shear cell

Capacity : 500 N Cell internal size : W63 mm × D68 mm × H84 mm


 Kramer shear cell, 5-blade type
 346-57808-01 *3

 Kramer shear cell, 10-blade type
 346-57808-02 *3

${\scriptstyle \textcircled{35}}$ Mini Kramer shear cell / Ottawa cell set

Capacity : 500 N Cell internal size : 33 mm × H44 mm


Mini Kramer shear cell / Ottawa cell set 346-57811 *3



Jig Part Number List

*1 : ③An upper adapter jig is necessary *2 : ③A lower adapter jig is necessary *3 : ③A jig platform is necessary

Application Jigs 36 Ottawa cell set (1) Boil-in-bag piercing stand Capacity : 500 N Capacity : 20 N Cell Internal size: 57 mm R0. 5 mm Piercing rod Piercing stand hole : 12 mm dia. Ottawa cell set (accessories) Plate with 3 mm dia. hole Boil-in-bag piercing stand and rod Plate with 6 mm dia. hole 346-57821 *3 Accessories Boil-in-bag piercing rod Plate with 3 mm dia. wire Plate with 6 mm dia. wire 42 Syringe extrusion test jig Capacity : 500 N Applicable syringe size: Maximum syringe diameter 30mm Option Ċ Volume reduction adapter (dia. 46 mm) 346-57821-11 Volume reduction adapter (37 × 37 mm) 346-57821-12 The adapter is inserted into the Ottawa cell to reduce the inner volume. The adapter comes in a set with compression plates. 37 Tubing test jig Capacity : 500 N 43 Syringe needle attachment jig Sample container : 50 mm Disks with hole (3, 5, 7 or 10 mm dia.) is included. Capacity : 500 N Tubing test jig Needle holder size : 4 to 4.5 mm, L10 mm A: Adapter with 3 mm dia. hole Syringe needle attachment jig 346-57818 *3 B: Adapter with 5 mm dia. hole Accessories C: Adapter with 7 mm dia. hole D: Adapter with 10 mm dia. hole 0 ④ Toothbrush jig set 0 0 toothbrushes or interdental brushes. Capacity : 20 N Applicable standard : JIS S3016 Vice Capacity : 30 mm 38 Overflow test jig set Toothbrush jig set (vise) Capacity : 50 N Sample Container: Internal Diameter 50 mm 0₀ Overflow test jig set A: Compression plate adapter dia. 45 mm 346-57813 *1 *3 (4) Tablet press-dispense jig set Accessories B: Compression plate adapter dia. 40 mm C: Compression plate adapter dia. 35 mm Capacity : 500 N Punch size: 0.5" dia. (round-tipped) 39 Roller-type noodle tensile jig Capacity : 100 N Roller diameter : 16 mm Roller-type noodle tensile jig 346-57826 $\bigcup_{A} \bigcup_{B} \bigcup_{C} \bigcup_{D}$ ④ Noodle tensile jig (Sponge-grip type) Capacity: 50 N Noodle tensile jig 346-522640-01



Syringe extrusion test jig 346-57828			
	Adapter with 30 mm dia. hole	348-38626-06	
	Adapter with 25 mm dia. hole	348-38626-05	
	Adapter with 20 mm dia. hole	348-38626-04	
Item list	Adapter with 15 mm dia. hole	348-38626-03	
	Adapter with 10 mm dia. hole	348-38626-02	
	Adapter without hole (The customer can drill a hole as desired.)	348-38626-01	



-

346-51688-02

346-52271-01 *1 *2

347-52778 *1

This jig set makes it possible to measure the drawing force of bristles of 346-52291-01

Tablet press-dispense jig set		346-57819 *1 *3
	A: Adapter with 17 mm dia. hole	348-38604-02
	B: Adapter with 12 mm dia. hole	348-38604-01
Accessories	C: Adapter with 17 mm dia. hole + R5 /L23 mm slotted hole	348-38567
	D: R5 /L23 mm slotted hole (For capsules 1-5)	348-38603
$\bigcirc \bigcirc $		



Application Testing Base

46 Beaker fixing base

Capacity: 500 N

Beaker fixing base

④ Fixing base

Capacity: 500 N Fixable sample size: ø25 to 60 mm

Fixing base 346-51819-01

346-51819-02 *2

346-57115




48 Waterproof tray

Waterproof tray




Image: Sun Scientific jig mounting adapter set

Jigs from Sun Scientific Co., Ltd. can also be used with EZ Test.



100 Rheotech jig mounting adapter set

Jigs from Rheotech can also be used with EZ Test.



Rheotech jig mounting adapter set		346-51820-03
Item list M5 screw		346-51820-01
item ist	M5 0.9 mm pitch screw	346-51820-02
Lower jig		346-52281-01

5) Jig platform

 *3 Can be used for various tests by removing the plate on the platform and switching the jig for a different type.

 Jig platform

 (with standard plate and sample tray)

③ Upper jig

*1 An upper adapter jig is necessary to allow smooth probe replacement.
--





₃ Lower jig


*2 Attaching a probe to the upper jig and an adapter to the lower jig allows smooth switching between different types of test jigs.

Lower jig 346-52281-02



Adapter for AGS series jig

Use these adapters when mounting the Shimadzu AGS Series Precision Universal Tester jig to the EZ Test tester.



346-52280-01

AGS series jig adapter dia. 16 mm	346-51692-01
AGS series jig adapter dia. 10 mm	346-51692-02

347-55350-01

(3) 1 to 5 kN load cell adapter

M12 conversion adapter

Use this adapter when mounting a jig to a 1 kN, 2 kN or 5 kN load cell.



So Probe extension adapter

Use these adapters to extend probes. Take care not to apply a bending force onto the load cell.

Probe 30-mm extension adapter	348-38500-03
Probe 60-mm extension adapter	348-38500-04
Probe 30-mm extension adapter (with lock nut)	346-59376-01
Probe 30-mm extension adapter (with lock nut)	346-59376-02

►





Application videos are available on YouTube ! YouTube Shimadzu an Search for the "Compact Table-Top Universal Tester" playlist on the Shimadzu YouTube Channel.





Shimadzu Corporation www.shimadzu.com/an/

For Research Use Only. Not for use in diagnostic procedures. This publication may contain references to products that are not available in your country. Please contact us to check the availability of these

This publication may contain references to products that are not available in your county. Prease contact is to theck the availability of these products in your country. Company names, products/service names and logos used in this publication are trademarks and trade names of Shimadzu Corporation, its subsidiaries or its affiliates, whether or not they are used with trademark symbol "TM" or "@". Third-party trademarks and trade names may be used in this publication to refer to either the entities or their products/services, whether or not they are used with trademark symbol "TM" or "@". Shimadzu disclaims any proprietary interest in trademarks and trade names other than its own.

The contents of this publication are provided to you "as is" without warranty of any kind, and are subject to change without notice. Shimadzu does not assume any responsibility or liability for any damage, whether direct or indirect, relating to the use of this publication.